

CERTIFICATE OF ANALYSIS

Product : **FOLIC ACID**
Product number : F0608
Batch number : 015928
Date of production : 08-01-2021
Date of analysis : 08-01-2021
Date of expiry : 31-01-2024

Packaging and storage : store in a well-closed container

| | SPECIFICATION | RESULT | UNITS | REMARKS |
|---------------------------|-------------------------------------|----------|-------|------------------------------|
| Appearance | yellow or orange crystalline powder | complies | | |
| Identification | conform | complies | | |
| Specific optical rotation | +18 – + 22 | +21.1 | °C | |
| Water | 5.0 – 8.5 | 7.6 | % | Karl Fischer |
| Sulfated ash | ≤ 0.2 | < 0.1 | % | |
| Related substances | conform | complies | | HPLC |
| Assay | 96.0 – 102.0 | 99.6 | % | anhydrous substance, HPLC |

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:



J. van der Eem, MSc, pharmacist
Department of Quality Control Duchefa B.V.

Date: 04-02-2022

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71
2031 BH Haarlem
The Netherlands



Postbus 809
2003 RV Haarlem
The Netherlands



+31-(0)23-531 90 93
info@duchefa.nl
duchefa-biochemie.com



KVK: 34073001
IBAN: NL48 INGB 0651 4661 80
BIC: INGBNL2A