

## CERTIFICATE OF ANALYSIS

Product : **AMMONIUM NITRATE**  
 Product number : A0501  
 Batch number : 011527  
 Date of production : 18-09-2015  
 Date of analysis : 21-09-2015  
 Date of expiry : 30-09-2020

Packaging and storage : store at room temperature in a well-closed container

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	colourless to light yellowish coloured pallets	complies		
Solubility	soluble in water			20°C / 1183 g/l
Total N-content calculated	≥ 34.9	34.95	%	w/w
Content of free ammonia	≥ 0.002	0.0048	%	w/w
pH	5.0 – 6.5	5.9		10% in H <sub>2</sub> O
Water insoluble	≤ 0.002	complies	%	w/w
Residue on ignition	≤ 0.002	complies		w/w
Chloride	≤ 0.0002	complies	%	w/w
Iron	≤ 0.0001	complies	%	w/w
Organic carbon	≤ 0.001	complies	%	w/w
Moisture	≤ 0.2	0.14	%	w/w
Assay	≥ 97.5	99.86	%	NH <sub>4</sub> NO <sub>3</sub> w/w

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Approved by:

drs. M. van Wissen, pharmacist  
 Department of Quality Control Duchefa B.V.

Date: 09-12-2015



The buyer is responsible to test each batch to ensure the product is suitable for its specific purpose.