

CERTIFICATE OF ANALYSIS

Product : AMMONIUM SULFATE
Product number : A0502
Batch number : 014157
Date of production : 30-05-2018
Date of analysis : 30-05-2018
Date of expiry : 31-05-2023

Packaging and storage : store at room temperature in a well-closed container


	SPECIFICATION	RESULT	UNITS	REMARKS
pH	5.0 – 6.0	5.3		5% solution
Water-insoluble matter	≤ 0.01	< 0.005	%	
Sulphated ash	≤ 0.05	0.001	%	
Chloride (Cl)	≤ 0.003	< 0.0002	%	
Arsenic (As)	≤ 0.0005	< 0.00002	%	
Phosphate (PO ₄)	≤ 0.001	< 0.0002	%	
Nitrate (NO ₃)	≤ 0.005	< 0.001	%	
Iron (Fe)	≤ 0.002	< 0.0001	%	
Heavy metals (as Pb)	≤ 0.002	< 0.0001	%	
Assay	≥ 99.0	100.1	%	

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. Q. de Hoog, pharmacist
Department of Quality Control Duchefa B.V.



Date: 26-11-2018

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.