

CERTIFICATE OF ANALYSIS

Product : **CALCIUM CHLORIDE DIHYDRATE**
 Product number : C0504
 Batch number : 013267
 Date of production : 26-03-2017
 Date of analysis : 06-04-2017
 Date of expiry : 31-03-2021

Packaging and storage : in a well closed container at room temperature, protect from moisture

	SPECIFICATION	RESULT	UNITS	REMARKS
Identification:				
- A (chlorides)	conform	complies		
- B (calcium)	conform	complies		
Appearance of solution	clear and colour $\leq$ ref.sol. Y ₆	complies		
Solubility	soluble in water	complies		
Acidity / Alkalinity	conform	complies		
Sulfates	≤ 300	< 300	ppm	
Aluminum	≤ 1	< 1	ppm	
Barium	conform	complies		
Iron	≤ 10	< 10	ppm	
Magnesium and alkali metals	≤ 0.5	< 0.5	%	
Assay	97.0 – 103.0	101.4	%	

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist
 Department of Quality Control Duchefa B.V.

Date: 20-10-2017



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.