CERTIFICATE OF ANALYSIS

Product	:	**CALCIUM CITRATE (tricalcium citrate 4-hydrate)**
Product number	:	C0530
Batch number	:	011954
Date of production	:	xx-09-2012
Date of analysis	:	24-09-2012
Date of expiry	:	31-08-2017
Packaging and storage	:	in a well closed container at room temperature, protect from moisture

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white powder	complies		
Identification	conform	complies		
Solubility	soluble in water	complies		
Acid-insoluble substances	≤ 0.2	complies	%	
Fluoride (F)	≤ 0.003	complies	%	
Arsenic (As)	≤ 0.0003	complies	%	
Lead (Pb)	≤ 0.001	complies	%	
Heavy metals (as Pb)	≤ 0.02	complies	%	
Loss on drying	10.0 – 13.3	12.5	%	4h, 150°C
Assay	97.5 – 100.5	98.9	%	dried basis

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved
Released by: drs. M. van Wissen, pharmacist
Department of Quality Control Duchefa B.V.

Date: 03-03-2016



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

mail address: Postbus 809 - 2003 RV Haarlem - The Netherlands
visiting address: A. Hofmanweg 71 - 2031 BH Haarlem
telephone: +31(0)23 - 531 90 93
telefax: +31(0)23 - 531 80 27
e-mail: info@duchefa.nl
iban: NL54 INGB 0651 4661 80
bic: INGBNL2A
k.v.k. in Amsterdam: 34073001
website: www.duchefa.com