



CERTIFICATE OF ANALYSIS

Product : **DOXYCYCLINE HYCLATE**
Product number : D0121
Batch number : 015511
Date of manufacturing : xx-05-2019
Retest date : 31-05-2023

Packaging and storage : store in a well-closed container, protected from light

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	yellow crystalline powder	complies		
Identification	conform	complies		
- A (assay)	conform	complies		
- B (colour reaction)	conform	complies		
- C (chloride)	conform	complies		
pH	2.0 – 3.0	2.6		
Related substances	conform	complies	%	
Water	1.4 – 2.8	2.5	%	KF
Assay	800 - 920	887	µg/mg	anhydrous substance

This certificate of analysis is conform the results of the supplier.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist
Department of Quality Control Duchefa B.V.

Date: 17-06-2020

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71
2031 BH Haarlem
The Netherlands



Postbus 809
2003 RV Haarlem
The Netherlands



+31 (0)23-531 90 93
info@duchefa.nl
duchefa-biochemie.com



KVK: 34073001
IBAN: NL54 INGB 0651 4661 80
BIC: INGBNL2A