Duchefa Biochemie b.v.

biochemicaliën
biochemicals

CERTIFICATE OF ANALYSIS

Product	:	**FRUCTOSE (D-)**
Product number	:	F0801
Batch number	:	011732
Date of production	:	03-05-2015
Date of analysis	:	06-05-2015
Date of expiry	:	31-05-2020
Packaging and storage	:	in a well-closed container at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Moisture	≤ 0.15	0.05	%	Karl Fischer
Appearance of solution	conform	complies		
Sieve analysis:				
> 200 µm	≥ 95.0	99.1	%	
> 600 µm	≤ 15.0	12	%	
pH	4.5 – 7.0	5.6		
Assay	≥ 99.5	100.0	%	anhydrous substance
Sulphated ash	≤ 0.1	< 0.1	%	
Heavy metals	≤ 5.0	< 1.0	ppm	
Arsenic	≤ 1.0	< 0.5	ppm	
Lead	≤ 0.1	< 0.1	ppm	
Microbiology tests	conform	complies	n/g	

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved
Released by: drs. M. van Wissen, pharmacist
Department of Quality Control Duchefa B.V.

Date: 11-12-2015



The buyer is responsible to test each batch to ensure the product is suitable for its specific purpose.

mail address: Postbus 809 - 2003 RV Haarlem - The Netherlands
visiting address: A. Hofmanweg 71 - 2031 BH Haarlem
telephone: +31(0)23 - 531 90 93
telefax: +31(0)23 - 531 80 27
e-mail: info@duchefa.nl
iban: NL54 INGB 0651 4661 80
bic: INGBNL2A
k.v.k. in Amsterdam: 34073001
website: www.duchefa.com