

CERTIFICATE OF ANALYSIS

Product : **L-GLUTAMINE**
 Product number : G0708
 Batch number : 012350
 Date of production : 23-01-2015
 Date of expiry : 31-01-2018

Packaging and storage : store at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	crystalline powder, whitish	complies		
Solubility	soluble in water			18°C / 26 g/l
Specific rotation	+6.3 – +7.3	+6.5	°	
Heavy metals	< 5	< 5	ppm	
Loss on drying	≤ 0.3	0.24	%	
Residue on ignition	≤ 0.1	0.08	%	
Arsenic	≤ 0.1	complies	ppm	
Lead	≤ 3	complies	ppm	
Cadmium	≤ 1	complies	ppm	
Mercury	≤ 0.1	complies	ppm	
Microbiology:				
Aerobic plate count	≤ 1000	complies	cfu/g	
Yeast and moulds	≤ 100	complies	cfu/g	
Coliforms	negative	complies		
Salmonella	negative	complies		
Assay	98.5 – 101.5	98.8	%	

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist
 Department of Quality Control Duchefa B.V.

Date: 18-04-2016



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.