

## CERTIFICATE OF ANALYSIS

Product : **GLYCINE**  
Product number : G0709  
Batch number : 013174  
Date of production : xx-02-2017  
Date of expiry : 28-02-2022

Packaging and storage : store at room temperature in a well-closed container

|                         | SPECIFICATION            | RESULT   | UNITS | REMARKS |
|-------------------------|--------------------------|----------|-------|---------|
| Description             | white crystalline powder | complies |       |         |
| Chlorides               | ≤ 0.007                  | complies | %     |         |
| Heavy metals            | ≤ 0.002                  | < 0.0005 | %     |         |
| Loss on drying          | ≤ 0.20                   | 0.01     | %     |         |
| Sulphate                | ≤ 0.0065                 | complies | %     |         |
| Residue on ignition     | ≤ 0.1                    | 0.05     | %     |         |
| Hydrolyzable substances | conform                  | complies |       |         |
| Assay                   | 98.5 – 101.5             | 98.7     | %     |         |

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

*p/o*

drs. M. van Wissen, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 08-09-2017

*S. de Bree*  
*S. de Bree*

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.