

CERTIFICATE OF ANALYSIS

Product : **MANNITOL (D-)**
 Product number : M0803
 Batch number : 013984
 Date of analysis : 28-11-2017
 Date of expiry : 30-11-2022

Packaging and storage : in a well-closed container, protected from light

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white crystalline powder, odourless, sweet taste	complies		
Melting point	165.0 – 170.0	167	°C	
Identification:				
- C (IR-spectrum)	conform	complies		
Appearance of solution	clear and colourless	complies		10% in H ₂ O
Conductivity	≤ 20.0	2.5	μS/cm	20% in H ₂ O
Reducing sugars	≤ 0.1	< 0.1	%	
Related substances	conform	complies		HPLC
Nickel	≤ 1.0	< 1.0	ppm	
Loss on drying	≤ 0.5	0.06	%	
Assay	98.0 – 102.0	99.2	%	HPLC

This certificate of analysis is conform the results of the manufacturer and controlled by mr. Bartschat, pharmacist.

Conclusion: approved

Released by:



drs. J. van der Eem, pharmacist
 Department of Quality Control Duchefa B.V.

Date: 22-08-2018

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.