

CERTIFICATE OF ANALYSIS

Product : **MES**
Product number : **M1503**
Batch number : **012811**
Date of analysis : **14-03-2017**
Date of expiry : **31-03-2020**

Packaging and storage : store in a well-closed container, protected from light


	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white crystalline powder	complies		
Solubility	clear and complete	complies		
Identity	conform	complies		IR-spectrum
Moisture	8.0 – 9.0	8.7	%	120 °C
pH	2.5 – 4.0	3.4		0.5 M in H ₂ O
pKa	6.15	6.2		20 °C
Chloride	≤ 50	15	ppm	
Sulphate	≤ 50	2	ppm	
Heavy metals	conform	complies		as Pb
Residue on ignition	≤ 0.01	< 0.001	%	
UV-absorbance:				5% in H ₂ O
- A250nm	≤ 0.05	0.0011		
Assay	≥ 99.0	100.0	%	dried substance

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved
Released by:

drs. M. van Wissen, pharmacist
Department of Quality Control Duchefa B.V.

Date: 20-03-2017



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.