CERTIFICATE OF ANALYSIS

Product	:	**MACEROZYME R-10**
Product number	:	M8002
Batch number	:	012638
Date of production	:	17-05-2016
Date of analysis	:	02-06-2016
Date of expiry	:	31-05-2018
Packaging and storage	:	store in well-closed containers at 2 – 8 °C

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	pale amber powder	complies		
Loss on drying	≤ 10	complies	%	
Heavy metals	≤ 40	complies	µg/g	
Arsenic	≤ 3	complies	µg/g	
Enzyme activity	≥ 3,000	complies	u/g	
Microbiological test:				
- Total viable count	≤ 10,000	complies	cfu/g	
- Fungi	≤ 100	complies	cfu/g	
- Coliform	negative	complies		

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved
Released by: drs. M. van Wissen, pharmacist
Department of Quality Control Duchefa B.V.

Date: 27-12-2016

The buyer is responsible to test each batch to ensure the product is suitable for its specific purpose.

mail address: Postbus 809 - 2003 RV Haarlem - The Netherlands
visiting address: A. Hofmanweg 71 - 2031 BH Haarlem
telephone: +31(0)23 - 531 90 93
telefax: +31(0)23 - 531 80 27
e-mail: info@duchefa.nl
iban: NL54 INGB 0651 4661 80
bic: INGBNL2A
k.v.k. in Amsterdam: 34073001
website: www.duchefa.com