

CERTIFICATE OF ANALYSIS

Product : **POTASSIUM HYDROXIDE**
Product number : P0517
Batch number : 015041
Date of production : 29-09-2018
Date of analysis : 06-03-2019
Date of expiry : 30-09-2023

	SPECIFICATION	RESULT	UNITS	REMARKS
Identification	conform	complies		
Appearance of solution	clear and colourless	complies		
Carbonate (as K_2CO_3)	≤ 2.0	< 2.0	%	
Chloride (Cl)	≤ 200	< 200	ppm	
Phosphate (PO_4)	≤ 100	< 100	ppm	
Sulphate (SO_4)	≤ 200	< 200	ppm	
Iron (Fe)	≤ 10	< 10	ppm	
Sodium (Na)	≤ 1.0	< 1.0	%	
Assay	85.0 – 100.5	85.1	%	


This certificate of analysis is conform the results of the manufacturer.

Conclusie: goedgekeurd

Vrijgifte door:

drs. M. van Wissen, apotheker
Kwaliteitsbewaking Duchefa Farma B.V.

Datum: 26-11-2019



The buyer is responsible to test each batch to ensure the product is suitable for its specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71
2031 BH Haarlem
The Netherlands



Postbus 809
2003 RV Haarlem
The Netherlands



+31 (0)23-531 90 93
info@duchefa.nl
duchefa-biochemie.com



KVK: 34073001
IBAN: NL54 INGB 0651 4661 80
BIC: INGBNL2A