

CERTIFICATE OF ANALYSIS

Product : **POTASSIUM HYDROXIDE**
 Product number : P0517
 Batch number : 015481
 Date of production : 15-11-2019
 Date of analysis : 28-01-2020
 Date of expiry : 30-11-2024


	SPECIFICATION	RESULT	UNITS	REMARKS
Identification	conform	complies		
Appearance of solution	clear and colourless	complies		
Carbonate (as K ₂ CO ₃)	≤ 2.00	< 0.35	%	
Chloride (Cl)	≤ 200	< 25.0	mg/kg	
Phosphate (PO ₄)	≤ 100	< 2	mg/kg	
Sulphate (SO ₄)	≤ 200	< 5.0	mg/kg	
Iron (Fe)	≤ 10	< 0.25	mg/kg	
Sodium (Na)	≤ 1.00	< 0.33	%	
Assay	85.0 – 100.5	86.95	%	

According to Food standard 2012/231/EC.

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:



Q. de Hoog, MSc, pharmacist
 Department of Quality Control Duchefa B.V.

Date: 07-06-2021

The buyer is responsible to test each batch to ensure the product is suitable for its specific purpose.

Duchefa Biochemie B.V.