

## CERTIFICATE OF ANALYSIS

Product : **DI-POTASSIUM HYDROGEN PHOSPHATE**  
 Product number : P0573  
 Batch number : 011654  
 Date of manufacturing : 24-07-2015  
 Date of expiry : 31-07-2020  
 Packaging and storage : in a well closed container

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white crystals	complies		
Solubility	soluble in water	complies		
Identification	conform	complies		
Appearance of solution	clear and colourless	complies		
pH	8.5 – 9.6	complies		5% in water
Carbonates	conform	complies		
Water-insoluble substances	≤ 0.01	< 0.01	%	
Reducing substances	conform	complies		
1- and 3-basic salt	conform	complies		
Iron	≤ 10	5	ppm	
Heavy metals	≤ 10	< 10	ppm	as Pb
Loss on drying	≤ 1.0	0.1	%	105°C
Assay	> 98.0	99.8	%	


This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Approved by:

drs. M. van Wissen, pharmacist  
 Department of Quality Control Duchefa B.V.

Date: 16-11-2015



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.