

CERTIFICATE OF ANALYSIS

Product : **PLANT AGAR**
 Product number : P1001
 Batch number : 016154
 Date of production : xx-03-2021
 Date of analysis : xx-03-2021
 Date of expiry : 31-03-2024

 Packaging and storage : under cool and dry conditions, packages unopened

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white to yellowish white, nearly odourless powder	complies		
Solubility	insoluble in cold water, soluble in boiling water	complies		
Gel strength	≥ 1100	1200	g/cm ²	
Ash content, total ash	≤ 5	3	%	dried substance, 550°C
Loss on drying	≤ 20	10	%	
Acid-insoluble matter (ash)	≤ 1.0	< 0.5	%	
Water absorption	> 5 times over weight	complies		
Arsenic (As)	≤ 3	< 1	ppm	
Lead (Pb)	≤ 5	< 1	ppm	
Mercury (Hg)	≤ 1	< 1	ppm	
Cadmium (Cd)	≤ 1	< 1	ppm	
Starch, gelatin and other proteine	absent	not detected		
Microbiology:				
-Total plate count	≤ 5000	500	cfu/g	
- Escherichia coli	absent	complies	/1 g	
- Salmonella	absent	complies	/25g	

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist
 Department of Quality Control Duchefa B.V.

Date: 19-05-2021



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.