

CERTIFICATE OF ANALYSIS

Product : **DISODIUM HYDROGEN PHOSPHATE DIHYDRATE**
 Product number : S0537
 Batch number : 010982
 Date of production : xx-04-2014
 Date of expiry : 30-04-2019
 Packaging and storage : store at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	colourless crystals	complies		
Identification	conform	complies		
Appearance of solution	conform	complies		5%
Reducing substances	conform	complies		
Monosodium phosphate	≤ 0.025	< 0.025		
Chloride (Cl)	≤ 0.04	< 0.04	%	
Sulphate (SO ₄)	≤ 0.1	< 0.1	%	
Arsenic (As)	≤ 0.0004	< 0.0004	%	
Iron (Fe)	≤ 0.0040	< 0.0040	%	
Heavy metals (as Pb)	≤ 0.0020	< 0.0020	%	
Loss on drying	19.5 – 21.0	20.1	%	130 °C
Assay	98.0 – 101.0	100.1	%	dried substance

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist
 Department of Quality Control Duchefa B.V.

Date: 27-01-2015



The buyer is responsible to test each batch to ensure the product is suitable for its specific purpose.