



CERTIFICATE OF ANALYSIS

Product : **SALICYLIC ACID**
Product number : S1367
Batch number : 018157
Date of production : xx-05-2023
Date of analysis : 20-10-2023
Date of expiry : 31-05-2028

Packaging and storage : in a well closed container at room temperature

| | SPECIFICATION | RESULT | UNITS | REMARKS |
|------------------------------|---|---------------|--------------|----------------|
| Appearance | (almost) white crystalline powder or white or colourless crystals | complies | | |
| Solubility | slightly soluble in water | complies | | |
| Identification: | | | | |
| - A (melting point) | 158 – 161 | 160 | °C | |
| - B (IR-spectrum) | conform | complies | | |
| Appearance of solution | clear and colourless | complies | | |
| Chlorides (Cl ⁻) | ≤ 100 | < 100 | ppm | |
| Loss on drying | ≤ 0.5 | 0.0 | % | |
| Sulfated ash | ≤ 0.1 | 0.0 | % | |
| Assay | 99.0 – 100.5 | 99.8 | % | |

This certificate of analysis is conform the results of the supplier.

Conclusion: approved
Released by:

drs. M. van Wissen, pharmacist
Department of Quality Control Duchefa B.V.

Date: 01-12-2023

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.