

CERTIFICATE OF ANALYSIS

Product : TYROSINE (L-)

Product number : T0721
Batch number : 011644
Date of production : 02-07-2015
Date of expiry : 31-07-2018

Packaging and storage : store in a well closed container at room temperature

SPECIFICATION white crystalline powder or colourless crystals	RESULT complies	UNITS	REMARKS
soluble in water	complies		0.4 g/l
conform	complies		IR-spectrum
clear and colourless	conform		
-12.311.0	-11.61	0	dried substance
conform	complies		TLC
≤ 200	150	ppm	
≤ 300	200	ppm	
≤ 200	150	ppm	
≤ 10	4	ppm	
≤ 10	7	ppm	as Pb
≤ 0.5	0.06	%	
≤ 0.1	0.04	%	
99.0 - 101.0	99.3	%	
	white crystalline powder or colourless crystals soluble in water conform clear and colourless $-12.311.0$ conform ≤ 200 ≤ 300 ≤ 200 ≤ 10 ≤ 10 ≤ 10 ≤ 0.5	white crystalline powder or colourless crystals soluble in water complies conform complies clear and colourless conform $+12.311.0$ $+11.61$ conform complies ≤ 200 $= 150$ ≤ 300 $= 200$ $= 150$ ≤ 10 $= 10$ $=$	white crystalline powder or complies colourless crystals soluble in water complies clear and colourless conform complies conform complies ≤ 200 ≤ 300 ≤ 200 ≤ 150 ppm ≤ 10 ≤ 10 ≤ 10 ≤ 10 ≤ 0.5 ≤ 0.1 ≤ 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 < 0 $< $

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist

Department of Quality Control Duchefa B.V.

Date: 11-11-2015

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.