



## CERTIFICATE OF ANALYSIS

Product : **6- $\gamma$ - $\gamma$ -(DIMETHYLALLYLAMINO)-PURINE**  
Product number : D0906  
Batch number : 014958  
Date of production : xx-09-2018  
Date of analysis : 21-10-2019  
Date of expiry : 30-09-2023

Packaging and storage : in a well-closed container, at a temperature between -25 and -15 °C

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	white to yellowish powder or crystals, free of foreign matter	white powder, free of foreign matter		
Loss on drying	$\leq 1.0$	0.0	%	
- IR-spectrum	complies	complies		
- UV-spectrum	max $273 \pm 1$ nm	273.3	nm	maximum
- Melting range	211 – 214	213.2	°C	with decomposition
Chromatographic purity	$\leq 2.0$	$< 2.0$	%	HPLC
Assay (HPLC)	$\geq 98.0$	100.9	%	dried substance

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

Date: 30-10-2019

drs. Q. de Hoog, pharmacist.  
Department of Quality Control Duchefa B.V.

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.

