



CERTIFICATE OF ANALYSIS

Product : **POTASSIUM NITRATE**
Product number : P0519
Batch number : 018723
Date of manufacturing : xx-03-2024
Date of expiry : 31-03-2029

Packaging and storage : in a well-closed container, in a cool and dry place (< 25°C / < 65% air humidity)

	SPECIFICATION	RESULT	UNITS	REMARKS
Identification	conform	complies		
Solubility	soluble in water	complies		20°C / 320 g/l
Appearance of solution	clear and colourless	complies		
Reducing substances	conform	complies		
Acidity or alkalinity	conform	complies		
Chlorate	conform	complies		
Sulphates	≤ 1000.0	< 1000.0	mg/kg	
Sodium	≤ 1000.0	< 1000.0	mg/kg	
Lead	≤ 4.00	< 4.00	mg/kg	
Iron	≤ 20.00	< 20.00	mg/kg	as Pb
Loss on drying	≤ 0.50	< 0.10	%	EP
Assay	99.0 – 101.0	99.9	%	EP

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

S. Bayat, MSc, pharmacist

Department of Quality Control Duchefa B.V.

Date: 19-08-2024

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71
2031 BH Haarlem
The Netherlands



Postbus 809
2003 RV Haarlem
The Netherlands



+31 (0)23-531 90 93
info@duchefa.nl
duchefa-biochemie.com



KVK: 34073001
IBAN: NL54 INGB 0651 4661 80
BIC: INGBNL2A