



## CERTIFICATE OF ANALYSIS

Product : **POTASSIUM NITRATE**  
Product number : P0519  
Batch number : 018866  
Date of manufacturing : xx-08-2024  
Date of expiry : 31-08-2029  
  
Packaging and storage : in a well-closed container, in a cool and dry place (< 25°C / < 65% air humidity)

	SPECIFICATION	RESULT	UNITS	REMARKS
Identification	conform	complies		
Solubility	soluble in water	complies		20°C / 320 g/l
Appearance of solution	clear and colourless	complies		
Reducing substances	conform	complies		
Acidity or alkalinity	conform	complies		
Chlorate	conform	complies		
Sulphates	≤ 1000.0	< 1000.0	mg/kg	
Sodium	≤ 1000.0	< 1000.0	mg/kg	
Lead	≤ 4.00	< 4.00	mg/kg	
Iron	≤ 20.00	< 20.00	mg/kg	
Loss on drying	≤ 0.50	< 0.50	%	EP
Assay	99.0 – 101.0	100.4	%	EP

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

J. van der Eem, MSc, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 05-11-2024

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

