

CERTIFICATE OF ANALYSIS

Product : **SODIUM DIHYDROGEN PHOSPHATE DIHYDRATE**
 Product number : S0522
 Batch number : 016244
 Date of production : xx-06-2021
 Date of expiry : 30-06-2026

Packaging and storage : store at room temperature

	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	colourless crystals	complies		
Identification:				
- sodium	conform	complies		
- phosphate	conform	complies		
Appearance of solution	clear and colourless	complies		5% in H ₂ O
pH	4.2 – 4.5	4.3		5% in H ₂ O
Reducing substances	conform	complies		
Chloride (Cl)	≤ 0.02	< 0.02	%	
Sulphate (SO ₄)	≤ 0.03	< 0.03	%	
Arsenic (As)	≤ 0.0002	< 0.0002	%	
Iron (Fe)	≤ 0.001	< 0.001	%	
Loss on drying	21.5 – 24.0	23.1	%	130 °C
Assay (NaH ₂ PO ₄)	98.0 – 100.5	99.7	%	dried substance

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:



drs. J. van der Eem, pharmacist
Department of Quality Control Duchefa B.V.

Date: 11-06-2021

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71
2031 BH Haarlem
The Netherlands



Postbus 809
2003 RV Haarlem
The Netherlands



+31 (0)23-531 90 93
info@duchefa.nl
duchefa-biochemie.com



KVK: 34073001
IBAN: NL54 INGB 0651 4661 80
BIC: INGBNL2A