

CERTIFICATE OF ANALYSIS

Product : **SODIUM DIHYDROGEN PHOSPHATE DIHYDRATE**
 Product number : S0522
 Batch number : 017771
 Date of production : 30-09-2022
 Date of expiry : 30-09-2027

Packaging and storage : store at room temperature


	SPECIFICATION	RESULT	UNITS	REMARKS
Appearance	colourless crystals	complies		
Identification:				
- sodium	conform	complies		
- phosphate	conform	complies		
Appearance of solution	clear and colourless	complies		5% in H ₂ O
pH	4.2 – 4.5	4.3		5% in H ₂ O
Reducing substances	conform	complies		
Chloride (Cl)	≤ 0.02	< 0.02	%	
Sulphate (SO ₄)	≤ 0.03	< 0.03	%	
Iron (Fe)	≤ 0.001	< 0.001	%	
Loss on drying	21.5 – 24.0	23.0	%	130 °C
Assay (NaH ₂ PO ₄)	98.0 – 100.5	100.1	%	dried substance

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved
 Released by:

drs. M. van Wissen, pharmacist
 Department of Quality Control Duchefa B.V.

Date: 31-05-2023



The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.