



## CERTIFICATE OF ANALYSIS

Product : YEAST EXTRACT  
Product number : Y1333  
Batch number : 018568  
Date of production : 27-07-2023  
Date of analysis : 27-07-2023  
Date of expiry : 31-07-2026  
  
Packaging and storage : store dry at room temperature in a well-closed container

	SPECIFICATION	RESULT	UNITS	REMARKS
Dry matter	$\geq 94.0$	95.2	%	
Total nitrogen	10.0 – 11.8	11.06	%	
Amino nitrogen	4.8 – 6.3	4.99	%	
pH	6.8 – 7.2	7.1		
NaCl	$\leq 0.5$	0.27	%	

This certificate of analysis is conform the results of the manufacturer.

Conclusion: approved

Released by:

drs. M. van Wissen, pharmacist  
Department of Quality Control Duchefa B.V.

Date: 07-06-2024

The buyer is responsible to test each batch to ensure the product is suitable for their specific purpose.

Duchefa Biochemie B.V.



A. Hofmanweg 71  
2031 BH Haarlem  
The Netherlands



Postbus 809  
2003 RV Haarlem  
The Netherlands



+31 (0)23-531 90 93  
info@duchefa.nl  
duchefa-biochemie.com



KVK: 34073001  
IBAN: NL54 INGB 0651 4661 80  
BIC: INGBNL2A